UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/664,865	09/22/2003	Charles Le Gall	Q77525	4308	
23373 SUGHRUE MI	7590 05/28/200 ON, PLLC	EXAMINER			
2100 PENNSYLVANIA AVENUE, N.W. SUITE 800			MILLER, SAMANTHA A		
	NGTON, DC 20037		ART UNIT	PAPER NUMBER	
				3749	
			MAIL DATE	DELIVERY MODE	
			05/28/2008	PAPER	

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)			
	10/664,865	LE GALL, CHARLES			
Office Action Summary	Examiner	Art Unit			
	SAMANTHA A. MILLER	3749			
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	orrespondence address			
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period w - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be tim vill apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE	lely filed the mailing date of this communication. (35 U.S.C. § 133).			
Status					
Responsive to communication(s) filed on <u>06 Ja</u> This action is FINAL . 2b)⊠ This Since this application is in condition for allowar closed in accordance with the practice under E	action is non-final. nce except for formal matters, pro				
Disposition of Claims					
4) ☐ Claim(s) 1-16 is/are pending in the application. 4a) Of the above claim(s) is/are withdray 5) ☐ Claim(s) is/are allowed. 6) ☐ Claim(s) 1-16 is/are rejected. 7) ☐ Claim(s) is/are objected to. 8) ☐ Claim(s) are subject to restriction and/or Application Papers 9) ☐ The specification is objected to by the Examiner 10) ☐ The drawing(s) filed on 22 September 2003 is/a Applicant may not request that any objection to the organization.	vn from consideration. relection requirement. r. ure: a)⊠ accepted or b)⊡ object drawing(s) be held in abeyance. See	e 37 CFR 1.85(a).			
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d). 11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.					
Priority under 35 U.S.C. § 119					
12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received.					
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date 1/6/2004.	4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal P 6) Other:	ite			

DETAILED ACTION

Claim Rejections - 35 USC § 102

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claims 1-15 rejected under 35 U.S.C. 102(b) as being anticipated by TIKKA (2001/0052412).

TIKKA teaches:

 A container (cabinet) comprising walls (top, sides, and bottom walls of the cabinet shown in Fig.1) defining an inside zone (zone containing 1, 2, and ,3) suitable for housing at least one piece of equipment (1, 2, and 3), at least one of said walls (Fig.1) being constituted by at least three sub-walls (three side walls shown of 100) spaced apart from one another in such a manner as to define at least first and second air circulation spaces (the two channels of 100 controlled by 101 and 102), said first space (controlled by 101) communicating with the outside of said container via at least two outside openings (the entrance to channel at 101 and the exit of the same channel, Fig.1), and said second space (controlled by 102) communicating said inside zone via at least two openings (the entrance to channel at 102 and the exit of the same channel, Fig.1), a first one of said sub- walls (outer sidewall of 100, Fig.1) facing the outside of said container, a second one of said sub-walls (inner side wall of 100, Fig.1) facing said inside zone, and a third one of said sub-walls (intermediate wall of 100, Fig.1) being interposed between said first and second sub-wall, the container being characterized in that said first sub-wall is constituted by a thermally insulating material (being a heat exchanger) (para.0020-0021).

Application/Control Number: 10/664,865 Page 3

Art Unit: 3749

2. The third sub-wall (intermediate wall of 100) is constituted by a material for enabling heat to be transferred between said first and second spaces (being a heat exchanging plate) (para.0020-0021).

- 3. The second sub-wall is constituted by a thermally insulating material (being a heat exchanger) (para.0020-0021).
- 4. A first air circulator device (101) arranged to suck in air from outside said container via at least a first one of said outside openings (the entrance to channel at 101 and the exit of the same channel, Fig.1), to cause said outside air to circulate in said first space (first channel of 101), and then to expel said outside air through at least a second one or said outside openings (the exit of the same channel to the outside, Fig.1).
- 5. A portion of said air circulator device (101) is installed substantially in said second outside opening (at the entrance of the channel of 101).
 - 6. The first air circulator device (101) comprises at least one fan (para.0020).
- 7. At least one second air circulator device (102) arranged to suck air in from said inside zone via at least one of said first inside openings (the entrance to channel at 102 and the exit of the same channel, Fig.1), to cause said inside air to circulate in said second space (channel of 102), and then to expel said inside air through at least a second one of said inside openings (the exit of the 102 channel, Fig.1).
- 8. A portion at least of said second air circulator device (102) is installed substantially in said second inside opening (the entrance to channel at 102).
 - 9. The second air circulator device (102) comprises at least one fan (para.0021).

Application/Control Number: 10/664,865 Page 4

Art Unit: 3749

10. A control device (103) arranged to control the operation of said first air circulator device (101) and/or of said second air circulator device (102) (by controlling the pressure and temperature out of the fan it controls the operation of the fans) (para.0023).

- 11. The control device (103) is arranged to control the operation of said first air circulator device (101) and/or of said second air circulator device (102) in such a manner as to regulate the temperature in said inside zone (para.0023-0025).
- 12. The direction of air circulation in said first space (channel of 101) is substantially opposite to the direction of air circulation in said second space (channel of 102) (Fig.1).
- 13. At least three of its walls (top, bottom, and one side) are constituted by said sub- walls (side walls of 100) (Fig.1).
- 14. The three walls (top, bottom, and one side) communicate with one another in such a manner as to constitute a single-shaped element (Fig.1).
 - 15. One of the three walls (top, bottom, and one side) is a top wall (Fig.1).
- 16. A telephone system including a container housing telephone equipment (para.0021).

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Samantha A. Miller whose telephone number is 571-272 9967. The examiner can normally be reached on Monday - Thursday 8:00 - 4:30.

Application/Control Number: 10/664,865 Page 5

Art Unit: 3749

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Steve McAllister can be reached on 571-272-6785. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Samantha Miller Examiner Art Unit 3749 5/14/2008

/Steven B. McAllister/ Supervisory Patent Examiner, Art Unit 3749